HP PageWide Managed Color MFP E77650z-E77660z Printer series



HP PageWide delivers a breakthrough low color cost, maximum uptime, and the strongest security.¹

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs. See your HP Authorized Reseller for details.

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. http://www.hp.com/go/learnaboutsupplies



HP PageWide Managed Color Flow MFP E77650z - Bundle Product 50 ppm



HP PageWide Managed Color Flow MFP E77660z - Bundle Product 60 ppm

Affordable color printing for every office

- Depend on lasting value. Get the results you expect for a game-changing low cost per color page.
- Print more pages and replace cartridges less often with optional high-yield cartridges.²
- Print even faster—and save even more per page—by setting this printer to General
- Help keep energy costs down with the most efficient printer in its class.⁴

Minimal interruptions. Maximum uptime.

- Minimize interruptions with an HP PageWide Managed MFP designed for the least maintenance in its class.⁵
- Print speeds up to 50% faster than competitors—as fast as 80 ppm in color and blackand-white.6
- Tailor this MFP to the needs of your business with a wide range of paper-handling
- Scan files directly to Microsoft® Office 365 and SharePoint, plus email, USB, and network folders.7

The world's most secure printing¹

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Your printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Memory activity is monitored to continually detect and stop attacks.
- Firmware is automatically checked during startup to determine if it's authentic code digitally signed by HP.

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 200 pages into the automatic document feeder for fast, unattended scanning.

¹ Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate

software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims

High-yield cartridges are not included in printer purchase; purchase separately. Comparison is based on ISO 24711 cartridge yields for HP 982X series High-Yield Original PageWide Cartridges compared with HP 982A series Original PageWide Cartridges. Learn more at http://www.hp.com/go/learnaboutsupplies

³ Comparison based on printing in Professional Mode.

4 Energy claim based on TEC data reported on energystar.gov as of February 2018. Data normalized to determine energy efficiency of in-class color laser printers and MFPs with print speeds between 20-80 ppm as of February 2018. Subject to device settings. Actual results may vary.

Fewer service parts claim based on BLI analysis of leading in-class A3 MFPs as of August 2016; calculations use publicly available and/or published manufacturer rated yields for long-life consumables and assume

^{600,000} pages printed (using a 60% black/40% color ratio). Learn more at http://www.hp.com/go/pagewideclaims

⁶ Comparison of HP PageWide A3 devices with the majority of in-class color ink/laser MPPs (53,000-\$10,299 and €2,820-€10,199), and color ink/laser single function printers (\$1,500-\$4,299 and €1,410-€4,099) as of April 2018 excluding other HP PageWide products; competitive set based on market share data as reported by IDC as of Q4 2017, MSRP data provided by gap intelligence and/or Buyers Lab. HP PageWide speeds based on General Office mode and exclude first page. Learn more at http://www.hp.com/go/printerspeeds

Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hpconnected.com

⁸ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software

HP PageWide Managed Color Flow MFP E77650z

Product walkaround

- 1. 20.3 cm (8.0 inch) pivoting color touchscreen
- 2. Hardware Integration Pocket¹
- 3. Easy-access USB printing port
- 4. Retractable keyboard²
- 5. Front door access to cartridges
- 6. 100-sheet multipurpose tray 1 supports media up to 305 x 457 mm (12 x 18 inches)
- 7. Automatic two-sided printing
- 8. 550-sheet tray 2 supports media up to 297 x 432 mm (11.7 x 17 inches)3
- 9. 200-sheet ADF with single-pass, two-sided scanning with HP EveryPage⁴ supports media up to 297 x 432 mm
- 10. Flatbed scanner handles sheets up to 297 x 432 mm (11.7 x 17 inches)
- 12. Ethernet port, 2 Hi-Speed USB 2.0 Host ports, Hi-Speed USB 2.0 Device port



Series at a glance





Model	HP PageWide Managed Color Flow MFP E77650z - Bundle Product 50 ppm	HP PageWide Managed Color Flow MFP E77660z - Bundle Product 60 ppm
Product number	J7Z08A	J7Z03A
Functions	Print, scan, copy	
Print speeds, black and color, letter and A4 ⁶	Up to 50/70 ppm, Professional/G0 mode	
300-sheet inner finisher with stapler ⁵	√	
Retractable keyboard ²	√	
HP EveryPage with ultrasonic detection, embedded OCR ⁴	√	
Automatic page orientation, cropping, and tone adjustment	20.3 cm (8.0 inch) pivoting color touchscreen	
Control panel display	100-sheet multipurpose tray 1, 550-sheet tray ²	
Paper input trays (standard)	550-sheet Paper Tray, 550 sheet Paper Tray and Cabinet, 3 x 550-sheet Paper, Tray and Stand, 4,000-sheet HCl Paper Tray and Stand	
Optional paper handling accessories ³	Up to 650/4,650 sheets	
Input capacity (standard/maximum ⁷)	Up to 500 sheets	
Output capacity	Output capacity	

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
2 The retractable keyboard is available with HP PageWide Managed Color Flow MFP E77660z and Color Flow MFP E77660zs models only.
3 The HP PageWide Managed Color MFP E77660 series comes standard with a 100-sheet multipurpose tray that supports up to 12 x 18 inches (305 x 457 mm) and one 550 sheet tray that supports up to 11.7 x 17 inches (297 x 432 mm). All models can add up to one of the following optional Accessories: 550-sheet paper tray, 550 sheet paper tray and cabinet, 3x550-sheet paper tray and stand, or 4,000 sheet HCl paper tray and stand. The 550-sheet trays support up to 11.7 x 17 inches (297 x 432 mm). The optional HCl tray supports up to letter (A4).
4 HP EveryPage, ultrasonic detection, and embedded OCR are available with HP PageWide Managed Color Flow MFP E77660z and Color Flow MFP E77660zs models only.
5 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and

document complexity.

6The 300-sheet inner finisher with stapler is available with the HP PageWide Managed Color Flow MFP E77660zs model only.

⁷ Purchase of optional paper trays required to reach maximum input capacity

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: hp.com/go/cpc:

Top features

Color printing is within every business' budget with HP PageWide Technology. Print professional-quality color for a breakthrough low cost—results you expect from HP for an exceptional value you can rely on.

Annoying interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP PageWide device designed for maximum uptime—so you can count on reliable results day in and day out.

HP printers have the industry's strongest security because they're always on guard, continually detecting and stopping threats while adapting to new ones. And only HP printers automatically self-heal from attacks, so IT doesn't need to intervene.

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs super-fast—up to 240 ipm⁸—and avoid extra steps with a Flow MFP designed for maximum productivity.

Accessories	5	
2EH31A	HP MFP Analog Fax Accessory 700	
2MU47A	HP Accessibility Assistant	
2NR12A	HP Removable Hard Drive Enclosure	
2TD64A	HP Accessibility Kit	
3JN69A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory	
5EL03A	HP TAA Version Secure Hard Disk Drive	
A7W99A	HP MFP Analog Fax Accessory 701	
B5L28A	HP PageWide 550-sheet Paper Tray	
B5L29A	HP Internal USB Ports	
B5L31A	HP High-Performance Secure Hard Disk	
CC487A	HP Foreign Interface Harness	
E5K48A	HP LaserJet MFP Analog Fax Accessory 500	
J8030A	HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM	
J8031A	HP Jetdirect 3000w NFC/Wireless Accessory	
J8J95A	HP Jetdirect 2900nw Print Server	
P1V16A	HP 300 ADF Roller Replacement Kit	
P1V17A	HP PageWide Managed 550-sheet Paper Tray	
P1V18A	HP PageWide Managed 550-sheet Paper Tray and Cabinet	
P1V19A	HP PageWide Managed 3x550 sheet Paper Tray and Stand	
W1B50A	HP PageWide Managed 4000 sheet High-capacity Paper Tray and Stand	
W1B51A	HP PageWide 550-sheet Paper Tray Stand	
W1B52A	HP PageWide 3x550-sheet Paper Tray Stand	
W1B43A	HP PageWide Printhead Wiper Kit	
W1B44A	HP PageWide Service Fluid Container	
W1B45A	HP PageWide Roller Kit	
Supplies		
M0K30XC	HP 992XC Black Contract PageWide Crtg (22,000)	
M0K07XC	HP 992XC Cyan Contract PageWide Crtg (16,000)	
MOK11XC	HP 992XC Magenta Contract PageWide Crtg (16,000)	
M0K26XC	HP 992XC Yellow Contract PageWide Crtg (16,000)	
Services		
U9RL2E	HP 3 year Next Business Day w/Disk Media Retention PgWd Color 776xx Managed Service HP 4 year	
U9RL3E U9RL4E	Next Business Day w/Disk Media Retention PgWd Color 776xx Managed Service HP 5 year Next Business Day w/Disk Media Retention PgWd Color 776xx Managed Service	









Solutions

HP Web Jetadmin: hp.com/go/wja

HP Universal Print Driver: hp.com/go/upd

HP Imaging and Printing Security Center: hp.com/go/ipsc

Fewer service parts claim based on BLI analysis of leading in-class A3 MFPs as of August 2016; calculations use publicly available and/or published manufacturer rated yields for long-life consumables and assume 600,000 pages printed (using a 60% black/40% color ratio). Learn more at http://www.hp.com/go/pagewideclaims

6 Comparison of HP PageWide A3 devices with the majority of in-class color ink/laser MFPs (\$3,000-\$10,299 and €2,820-€10,199), and color ink/laser single function printers (\$1,500-\$4,299 and €1,410-€4,099) as of

¹ Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims

² High-yield cartridges are not included in printer purchase; purchase separately. Comparison is based on ISO 24711 cartridge yields for HP 982X series High-Yield Original PageWide Cartridges compared with HP 982A series Original PageWide Cartridges. Learn more at http://www.hp.com/go/learnaboutsupplies

³ Comparison based on printing in Professional Mode...

⁴ Energy claim based on TEC data reported on energystar.gov as of February 2018. Data normalized to determine energy efficiency of in-class color laser printers and MFPs with print speeds between 20-80 ppm as of February 2018. Subject to device settings. Actual results may vary.

April 2018 excluding other HP PageWide products; competitive set based on market share data as reported by IDC as of Q4 2017, MSRP data provided by gap intelligence and/or Buyers Lab. HP PageWide speeds based on General Office mode and exclude first page. Learn more at http://www.hp.com/go/printerspeeds

Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hpconnected.com seasons because from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

HP PageWide Managed Color MFP E77650-E77660 Printer series

Model	HP PageWide Managed Color Flow MFP E77650z - Bundle Product 50 ppm	HP PageWide Managed Color Flow MFP E77660z - Bundle Product 60 ppm	
Product number	J7Z08A	J7Z03A	
IO functions rint	Print, copy, scan, fax (optional); AlO multitasking supported: Yes		
rint speed ⁵⁶	A4: Up to 50 ppm Black; Up to 50 ppm Color; 2-sided: Up to 35 ppm Black; Up to 35 ppm Color; First page out: As fast as 7.1 sec Black; As fast as 7.1 sec Color	A4: Up to 60 ppm Black; Up to 60 ppm Color; 2-sided: Up to 40 ppm Black; Up to 40 ppm Color; First page out: A fast as 7.1 sec Black; As fast as 7.1 sec Color	
int resolution	Black (best) Up to 1200 x 1200 optimized dpi from 600 x 600 input dpi (on Unspecified, Plain, HP Premium Presenta Color (best): Up to 2400 x 1200 optimized dpi from 600 x 600 input dpi (on HP Advanced Photo Papers)		
int technology	HP PageWide Technology; Print resolution technology : HP PageWide Technology up to 1200 x 1200 optimized dpi from 600 x 600 input dpi		
int cartridges number andard print languages	4 (1 each black, cyan, magenta, yellow) HP PCL 6; HP PCL 5c; HP postscript level 3 emulation; PDF 1.7		
	HP SureStart; Run-time Intrusion detection; Whitelisting; HP Trusted Platform Module; HP JetAdvantage Security Manager; HP Web Jetadmin; Open Extensibility Platform, FutureSmart Firmware, HP ePrint, Apple AirPrint**, HP Auto-On/Auto-Orf technology, HP Color Access Control, HP EasyColor, Front-Tacing USB printing, Store print Jobs, HP EasyColor, print preview, automatic two-sided printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, booklet printing, cover pages, tray selection, scaling, Portrait/Landscape orientation, High Quality (forsyscale and Black No Min, General Office/Professional/Presentation of printin modes, Optional: HP and third party extensibility Solutions;		
rinter smart software eatures	Wifeless		
rinter management can	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Prince JetAdvantage Security Manager; HP SNMP Proxy Agent; Prince JetAdvantage Security Manager; Princ	nter Administrator Resource Kit for HP Universal Print Driver	
can type / Technology	Type: Flatbed, ADF; Technology: Charge Coupled Device (CCD) & Contact Image Sensor (CIS)		
can resolution	Hardware: Up to 600 ppi; Optical: Up to 600 ppi		
can file format	Digital Sends PDF, JPEG, TIFF, MTIFF, XPS, PDFA, TEXT (OCR), Unicode TEXT (OCR), SET (OCR), Searchable PDF (OCR), Searchable PDF (OCR), SEARCHABLE PDFA (OCR), HTML (OCR), CSV (OCR); SCAR to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), HTML (OCR), CSV (OCR); SCAR to PDFA, DCR, HTML (OCR), CSV (OCR); SCAR to PDFA, TO PD		
can Size	ADF: 297 x 432 mm; Up to 297 x 864 mm when "long scan size" selected Maximum; 68 x 148 mm Minimum; Flatbed: 11.7 x 17 in		
an speed	Up to 120 ipm simplex and up to 240 ipm duplex: Up to 120 ipm simplex and up to 240 ipm duplex		
canner advanced features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Ernbedded Optical Character Recognition (ORC), Auto crop to page; Auto-tomory age; Auto-tomory and applications are applications of the property of the propert		
t depth / Grayscale levels	24 bit / 255		
gital sending standard atures	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Loc PDF	al Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Com	
opy	PU		
ppy speed	A4/Letter: Up to 50 cpm black/color; A4/Letter: Up to 50 cpm black/color (General Office mode);	A4/Letter: Up to 60 cpm black/color; A4/Letter: Up to 60 cpm black/color (General Office mode);	
	First Copy Out: As fast as 9.0 sec black/color	First Copy Out: As fast as 7.9 sec black/color	
opy resolution	Black (text and graphics): Up to 600 x 600 dpi; Color (text and graphics): Up to 600 x 600 dpi		
aximum Number of opies	Up to 9999 copies		
ppier resize	25 to 400%		
ppier settings	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, ID Scan, job build, edge-to-edge, job storage		
ex speed ⁴	2 coc pay paged in to 22.6 khpc		
ax resolution	3 sec per page Up to:33.6 kbps Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Color (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 204 x 98 dpi		
x smart software	Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule		
atures	Auto fav reduction supported: Voc. Auto-redialing: Voc. Fav delayed sending: No: Distinctive ring detection supported	t: No: Fav forwarding supported: Voc: Fav phone TAM interface supported: No: Fav polling supported: Voc (poll to re	
ax Features	Auto fax reduction supported: Yes, Auto-redialing: Yes, Fax delayed sending: No; Distinctive ring detection supported only); Fax telephone mode supported: No; Junk Barrier supported: Yes; Maximum speed dialing numbers: Up to 100 Telephone handset supported: No	0 numbers (each with 210 destinations); PC interface supported : Yes; Remote retrieval capability supported : No;	
onnectivity	letepnone nandset supported: No		
andard connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integr	ation Pocket	
etwork capabilities	Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx , 1000Base-T; 802.3az		
ireless capability	Optional, enabled with purchase of a hardware accessory		
obile printing capability emory	HP ePrint, Apple AirPrint™, Google Cloud Print Standard: 5632 MB; Maximum: 5632 MB		
rocessor speed	1.2 GHz / Hard disk: 320 GB High-Performance Secure Hard Disk (AES 256 hardware encryption or greater; Secure e	rase capabilities; Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)	
uty cycle (monthly)	A4:Up to 200,000 pages; Recommended monthly page volume: 2500 to 50,000	A4:Up to 250,000 pages; Recommended monthly page volume: 2500 to 50,000	
aper handling	Tago I	176. 1 111 1 20. 1 11 1 20. 1 11 1 20. 1 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
nput lutput	100-sheet multipurpose tray, 550-sheet input tray; Up to 650 sheets (MP: up to 100 sheets, Tray 2: up to 550 sheet 500-sheet output bin; Up to 500 sheets Standard; Up to 50 envelopes; Up to 200 Cards; Up to 200 labels Labels	ts) standard; up to 10 envelopes; up to 240 cards; up to 1,840 sneets Labels; up to 650 sneets Legal	
uplex Options	Automatic (standard) Manual (driver support provided)		
uto document feeder	Standard, 200 sheets		
apacity nvelope feeder	No		
tandard paper trays	2		
ledia types	Plain paper, HP EcoFFICIENT, HP Premium Presentation Matte 120g, HP Brochure Matte 180g, HP Brochure Glossy, H 131-175g, Cardstock 176-220g, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Prepunched, Colored, B	P Advanced Photo Papers, Light 60-74g, Intermediate 85-95g, Mid-Weight 96-110g, Heavy 111-130g, Extra Hea	
edia weight	Tray 1: 60-220 g/m², 300 g/m² Photo Paper Only Trays 2-5: 60-220 g/m² HCl trays 3 & 4: 60-220 g/m²	olid, Recycled, Rodgii	
edia sizes	A3; A4; A4-R; A5; A5-R; A6; RA3; RA4; SRA4; B4; B5 (JIS); 8K (270x390mm); 16K (195x270mm); 8k (260x368mm);	16k (184x260mm); 8k (273x394mm); 16k (197x273mm); 0ficio 216x340mm;	
edia Sizes Custom	Tray 1: 99.1 x 127 to 304.8 x 457.2 mm; Tray 2-5: 210.1 x 148.1 to 297.2 x 431.8 mm; HCI Trays 3 84. Eletter Only		
imensions (w x d x h)	813 x 616 x 680 mm; Maximum : 896 x 718 x 680 mm		
leight	69 kg HP PageWide Managed Color Flow MEP F77650z: HP Setup Ink Cartridges (vield after setup ~8000 pages CMV and	HP PageWide Managed Color Flow MFP E77660z; HP Setup Ink Cartridges (yield after setup ~8000 pages CMY	
hat's in the box	HP PageWide Managed Color Flow MFP E77650z; HP Setup Ink Cartridges (yield after setup ~8000 pages CMY and 10000 K); installation guide, Support flyer; documentation on CD-ROM; Power cord	10000 K); Installation guide, Support flyer; documentation on CD-ROM; Power cord	
Arranty features	90 day parts only warranty.		
nergy efficiency ompliance	ENERGY STAR® qualified; EPEAT® Gold (U.S.); EPEAT® Silver		
ontrol panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home	e button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket	
splay oftware included	8.0 in (20.3 cm) touchscreen, XVA Color Graphic Display (CGD) HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcor	ma Ceroan (Directs usays to 122 LID com or OC Ann Course for printer seft) A-line server	
	HP Connected, HP Device Experience (UXP), HP PCL 6 Printer Driver, HP Software installer/uninstaller, Mac US welcor 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro sy additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available.		
onts and typefaces			
ompatible operating stems	Android, Linux Boss (5.0). Linux Dehian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), 42.1). Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), 5 mac(5.10, 12.5 Fiera, 0.S X.10, 10 Yosemite, 0.5 X.10, 11 editions, Windows 8/8.1 all 32-8, 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Hor	.nux +eoora (.z., z.), z4), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13 El Capitan, UNIX, Windows 10 all 32- 8 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- 8 64-bit ne Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	
	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix for Windows Server 2008/2012/2012R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Frainal Services 32 - and 64-bit, Citrix xenApp 6.0/6.5 for Windows Server 2008 R2 Ferminal Services 32 - and 64-bit, Citrix XenApp 6.0/6.5 for Windows Server 2008 R2 SP 1 Ferminal Services 3.2 - and 64-bit, Citrix XenApp 6.0/6.5 for Windows Server 2008 R2 SP 1 Ferminal Services 3.2 - and 64-bit, Citrix XenApp 6.0/6.5 for Windows Server 2008 R2 SP 1 Ferminal Services 3.2 - and 64-bit, Citrix XenDesktop 5.6/7.0/7.5 for Windows Server 2008 R2 SP 1 Ferminal Services 3.2 - and 64-bit, Citrix XenDesktop 7.0/7.5 for Windows Server 2008 R2 SP 1 Ferminal Services 3.2 - and 64-bit, Citrix XenDesktop 7.0/7.5 for Windows Server 2008 R2 SP 1 Ferminal Services 3.2 - and 64-bit, Citrix XenDesktop 7.0/7.5 for Windows Server 2008 R2 SP 1 Ferminal Services 3.2 - and 64-bit, Citrix XenDesktop 7.0/7.5 for Windows Server 2008 R2 SP 1 Ferminal Services 3.2 - and 64-bit, Citrix XenDesktop 7.0/7.5 for Windows Server 2008 R2 SP 1 Ferminal Services 3.2 - and 64-bit, Citrix XenDesktop 7.0/7.5 for Windows Server 2008 R2 SP 1 Ferminal Services 3.2 - and 64-bit, Citrix XenDesktop 7.0/7.5 for Windows Server 2008 R2 SP 1 Ferminal Services 3.2 - and 64-bit, Citrix XenDesktop 7.0/7.5 for Windows Server 2008 R2 SP 1 Ferminal Services 3.2 - and 64-bit, Citrix XenDesktop 7.0/7.5 for Windows Server 2008 R2 SP 1 Ferminal Services 3.2 - and 64-bit, Citrix XenDesktop 7.0/7.5 for Windows Server 2008 R2 SP 1 Ferminal Services 3.2 - and 64-bit, Citrix XenDesktop 7.0/7.5 for Windows Server 2008 R2 SP 1 Ferminal Services 3.2 - and 64-bit, Citrix Services 3.2 - and 64-bit, Citrix Service 3.2 - and 64-		
ompatible network	2012/2012/R2, Cirix Presentation Server 4(J/4.5, Cirix XenApp 5.0 (Plus Feature Pack 2.4) and William Server 2016 R2 (Plus Feature Pack 2.4) and 64-bit, Cirix XenApp 5.0 (Plus Feature Pack 2.4) and 64-bit, Cirix XenApp 6.0 (Flus Feature Pack 2.4) and 64-bit, Cirix XenApp 7.00 R2 Terminal Services, 32- and 64-bit, Cirix XenApp 7.00 R2 Terminal Services, 32- and 64-bit, Cirix XenApp 7.00 R2 (Flus Feature Pack 2.4) and 7.00 R2 Terminal Services, 32- and 64-bit, Cirix XenApp 7.00 R2 (Flus Feature Pack 2.4) and 7.00 R2 R2 R2-R4-Bit Services, Vindows Server 2012 R2 R2 R2-Bit Services, Vindows Server 2012 R2-Bit Services, Vindows Server 2012 R2	2008 Terminal Services 32- and 64-bit. Citrix XenApp 6.0/6.5 [for Windows Server 2008 R2 Terminal Services, 32- a 10 for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit, Litrix XenDesktop 5.6 [for Windows Server 2012 and 2012 R2 Terminal Services is Server 2012 and 2012 R2 Terminal Services is Server 11/5P1, Novell Open Enterprise Server 2 for Linux, Novell Servers own youndelLorn/pinhl, Windows Server 2003/2008 R2 32-bit [SP1/5P2] Standard/Enterprise (-Liuster & Terminal Services), Windows Server 2008 rd/Enterprise (-Liuster & Terminal Services), Windows Server 2016 (-6-bit Services) windows Server 2016 (-6-bit S	
ompatible network perating systems linimum system	Essential/Datacenter (* claster & reminal services)	008 Terminal Services 22- and 64-bit. Citrix XenApp. 6.0/6.5 [for Windows Server 2008 R2 Terminal Services, 32- pp. 7.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit], Clirk XenDesktop 5.6 [for Windows pr. 18] Services, 32- and 64-bit], Citrix XenDesktop 7.0/7.5 [for Windows Server 2012 and 2012 R2 Terminal Services is Se Server 1.75P.], Novel Open Enterprise Server 2 for Linux, Novell Servers www.novell.com/print), Windows 5 server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise 4- Cluster 8-Terminal Services), Windows Server 2008 rd/Enterprise 4- Cluster 8-Terminal Services), Windows Server 2008/2008 R2 32-164-bit SP1/SP2 Jundation/Essentials/Datacenter (+ Cluster 8-Terminal Services), Windows Server 2016/64-bit Standard/	
ompatible network perating systems linimum system	PC:2GB available hard disk space, OS hardware requirements see microsoft.com; Mac 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info		
ompatible network perating systems linimum system aquirements	PC:2GB available hard disk space, OS hardware requirements see microsoft.com; Mac 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info	: Power supply type: Internal (Built-in) power supply: Power supply required: Input voltage: 100 to 240 VAC, 50/N- Power rops: Input voltage: 100 VAC, 50/N- Power rops: Input voltage: 100 VAC, 50/N- Power rops: Input voltage: 100 VAC, 50/N- Power rops: 100 VA	
ompatible network perating systems inimum system quirements	PC.2GB available hard disk space, 05 hardware requirements see microsoft.com; Mac 1.3 GB available hard drive space, 105 hardware requirements see microsoft.com; Mac 1.3 GB available hard drive space; internet; 05 hardware requirements see Apple.com for more info Power supply by type: Internal (Built-in) power supply; Power supply required: Input voltage: 100 to 240 VAC, 50/60 Hz Power consumption: 660 watts (max. print/copy), 137 watts (print/copy), 43 watts (ready), 1.56 watts (sleep), 0.2 watts (auto-07f), 0.2 watts (off; Typical electricity consumption (TEC) number: BA: 1.95 kWh/Week; ES: 2.03 kWh/Week; Best technical electricity consumption (TEC) mumber: BA: 1.95 kWh/Week; ES: 2.03 Acoustic power emissions: 6.8 B(A)	Power supply type: Internal (Built-in) power supply: Power supply required: Input voltage: 100 to 240 VAC, 50/ Power consumption: 660 watts (max. print/copy), 137 watts (print/copy), 43 watts (ready), 1.56 watts (sleep) watts (auto-off), 0.2 watts (off); Typical electricity consumption (TEC) number: Bal: 1.97 kWh/Week; ES: 2.03 kWh/Week; Best technical electricity consumption (TEC): 1.42 kWh/Week	
Compatible network operating systems Alinimum system equirements Power¹² Acoustics Operating environment	Pc2:GB available hard disk space, 05 hardware requirements see microsoft.com; Mac: 1.3 GB available hard drive space; Internet; 05 hardware requirements see Apple.com for more info Power supply type: Internal (Built-in) power supply; Power supply requirements see Apple.com for more info Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 100 to 240 VAC, 50/60 Hz Power consumption!: 660 watts (max. print/copy), 137 watts (print/copy), 43 watts (ready), 1.56 watts (sleep), 0.2 watts (auto-off), 22 watts (off); Pjucka electricity consumption (TEC): 1.42 kth/l/week, 1.42 kth/l	Power supply type: Internal (Built-in) power supply: Power supply required: Input voltage: 100 to 240 VAC, 50// Power consumption: 660 watts (max. print/copy), 137 watts (pant/copy), 43 watts (ready), 1,56 watts (sleep), watts (auto-off), 0.2 watts (off); Typical electricity consumption (TEO number: BA: 1,97 kWh/Week; ES: 2.03 kWh/Week; Best technical electricity consumption (TEO; 1,42 kWh/Week erange: Before initial setup (Non-Purged): -40 to 60°C; After initial setup (Purged): 0 to 60°C. If stored below the last waiting 24 hours at approved operating temperature prior to using the printer):; Operating humidity range: 10 to	

¹ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power Consumption and Energy Star TEC values typically based on measurement of 115V device.

Based on the BATEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.

To learn more, visit hp.com

© Copyright 2017-2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.



³ Average color composite (C/M/Y) and black declared yields based on ISO/IEC 24711 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see

http://www.hp.com/go/learnaboutsupplies.

Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17 SISO speeds measured using ISO/IEC 24734. Excludes first page or first set of ISO test pages. For details see http://www.hp.com/go/printerclaims

 $^{^{6}}$ Exact speed varies depending on the system configuration, software application, driver and document complexity.